1: Infect Immun 1989 Jan;57(1):204-12 Related Articles, Links

Entrez PubMed

PubMed Services

Related Resources

Homology of the 70-kilodalton antigens from Mycobacterium leprae and Mycobacterium bovis with the Mycobacterium tuberculosis 71-kilodalton antigen and with the conserved heat shock protein 70 of eucaryotes.

Garsia RJ, Hellqvist L, Booth RJ, Radford AJ, Britton WJ, Astbury L, Trent RJ, Basten A.

Clinical Immunology Research Centre, University of Sydney, New South Wales, Australia.

Two lambda gt11 recombinant clones, JKL2 and JKL15, each containing an insert coding for part of the highly immunogenic 70-kilodalton (kDa) protein antigen, were isolated from a Mycobacterium leprae genomic library by immunoscreening with the monoclonal antibody L7. Clone JKL2 contained the largest insert, 2.3 kilobase pairs. Nonoverlapping fragments of this insert were used as probes and showed strong hybridization to a number of Mycobacterium tuberculosis-lambda gt11 recombinants producing proteins recognized by an anti-M. tuberculosis 71-kDa monoclonal antibody, IT11. One clone from a recombinant Mycobacterium bovis library was also characterized by using L7, and the insert from this clone, B5bt, hybridized strongly to the M. leprae probes as well. The nucleotide sequence of the 1,037-base-pair coding region of the JKL2 M. leprae clone which encodes the carboxy-terminal half of the 70-kDa protein had extensive homology with genes from a number of species. In all cases, these genes, including the recently described Ag63 and Ag361 of Plasmodium falciparum, were found to be members of the heat shock protein 70 (hsp 70) family of genes. At the amino acid level, homology was maximal between amino acids 83 through 107 and 159 through 184, which showed extreme conservation (92 and 85% identity) with Escherichia coli DnaK amino acids 386 through 409 and 460 through 485, respectively, and was 51% homologous over the entire coding region (amino acids 1 through 344 of JKL2). In contrast, amino acids 129 through 158 had maximal homology with the phylogenetically more distant Xenopus laevis hsp70. Homology declined substantially in the carboxy-terminal 34 amino acids. The predicted ATP-binding functional activity of the 70-kDa antigen from M. bovis was confirmed with affinity purification of the antigen by binding to ATP-agarose and elution with ATP. In view of the conservation of sequences between these mycobacterial antigens and mammalian endogenous cellular enzymes, further evaluation of these molecules in vivo may aid in understanding tolerance to self-antigens as well as provide potentially useful

JCB Online ▸HOME

J.-C. Bourdon, J. Renzing, P.L. Robertson, K.N. Fernandes, and D.P. Lane

Scotin, a novel p53-inducible proapoptotic protein located in the ER and the nuclear membrane

J. Cell Biol., July 22, 2002; 158(2): 235 - 246.

[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

R. C. Reed, T. Zheng, and C. V. Nicchitta

GRP94-associated Enzymatic Activities. RESOLUTION BY CHROMATOGRAPHIC FRACTIONATION

J. Biol. Chem, July 12, 2002; 277(28): 25082 - 25089.

[Abstract] [Full Text] [PDF]



Annual Review of Immunology ▸HOME

P. Srivastava

INTERACTION OF HEAT SHOCK PROTEINS WITH PEPTIDES AND ANTIGEN PRESENTING CELLS: Chaperoning of the Innate and Adaptive Immune Responses

Annu. Rev. Immunol., January 1, 2002; 20(1): 395 - 425.

[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

A. Menoret, Z. Li, M. L. Niswonger, A. Altmeyer, and P. K. Srivastava

An Endoplasmic Reticulum Protein Implicated in Chaperoning Peptides to Major Histocompatibility of Class I Is an Aminopeptidase

J. Biol. Chem, September 7, 2001; 276(36): 33313 - 33318.

[Abstract] [Full Text] [PDF]

Clinical Cancer Research ▸HOME

R.-L. Hong, W. H. Spohn, and M.-C. Hung

Curcumin Inhibits Tyrosine Kinase Activity of p185neu and Also Depletes p185neu

Clin. Cancer Res., July 1, 1999; 5(7): 1884 - 1891.

[Abstract] [Full Text] [PDF]



Annual Review of Immunology ▸HOME

E. Pamer and P. Cresswell

MECHANISMS OF MHC CLASS I–RESTRICTED ANTIGEN PROCESSING

Annu. Rev. Immunol., January 1, 1998; 16(1): 323 - 358.

[Abstract] [Full Text]

The Journal of Immunology ▸HOME

R. J. Binder, K. M. Anderson, S. Basu, and P. K. Srivastava
Cutting Edge: Heat Shock Protein gp96 Induces Maturation and Migration of CD11c+ Cells In Vivo
J. Immunol., December 1, 2000; 165(11): 6029 - 6035.
[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

M. M. Jorgensen, O. N. Jensen, H. U. Holst, J.-J. Hansen, T. J. Corydon, P. Bross, L. Bolund, and N. Gregersen
Grp78 Is Involved in Retention of Mutant Low Density Lipoprotein Receptor Protein in the Endoplasmic Reticulum
J. Biol. Chem, October 20, 2000; 275(43): 33861 - 33868.

[Abstract] [Full Text] [PDF]

ENDOCRINE REVIEWS ▸HOME

P. S. Kim and P. Arvan
Endocrinopathies in the Family of Endoplasmic Reticulum (ER) Storage Diseases: Disorders of Protein Trafficking and the Role of ER Molecular Chaperones
Endocr. Rev., April 1, 1998; 19(2): 173 - 202.
[Abstract] [Full Text]

The Journal of Immunology ▸HOME

K. Yamazaki, T. Nguyen, and E. R. Podack
Cutting Edge: Tumor Secreted Heat Shock-Fusion Protein Elicits CD8 Cells for Rejection
J. Immunol., November 15, 1999; 163(10): 5178 - 5182.
[Abstract] [Full Text] [PDF]

ENDOCRINE REVIEWS ▸HOME

W. B. Pratt and D. O. Toft
Steroid Receptor Interactions with Heat Shock Protein and Immunophilin Chaperones
Endocr. Rev., June 1, 1997; 18(3): 306 - 360.
[Abstract] [Full Text]



The Journal of Immunology ▸HOME

R. Fan, S. S. Tykodi, and T. J. Braciale
Recognition of a Sequestered Self Peptide by Influenza Virus-Specific CD8+ Cytolytic T Lymphocytes
J. Immunol., February 15, 2000; 164(4): 1669 - 1680.
[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

M. F. N. Rosser and C. V. Nicchitta
Ligand Interactions in the Adenosine Nucleotide-binding Domain of the Hsp90 Chaperone, GRP94. I. EVIDENCE FOR ALLOSTERIC REGULATION OF LIGAND BINDING
J. Biol. Chem, July 21, 2000; 275(30): 22798 - 22805.
[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

J. J. Wassenberg, R. C. Reed, and C. V. Nicchitta
Ligand Interactions in the Adenosine Nucleotide-binding Domain of the Hsp90 Chaperone, GRP94. II. LIGAND-MEDIATED ACTIVATION OF GRP94 MOLECULAR CHAPERONE AND PEPTIDE BINDING ACTIVITY
J. Biol. Chem, July 21, 2000; 275(30): 22806 - 22814.
[Abstract] [Full Text] [PDF]



Journal of Virology ▸HOME

C. Sedlik, G. Dadaglio, M. F. Saron, E. Deriaud, M. Rojas, S. I. Casal, and C. Leclerc
In Vivo Induction of a High-Avidity, High-Frequency Cytotoxic T-Lymphocyte Response Is Associated with Antiviral Protective Immunity
J. Virol., July 1, 2000; 74(13): 5769 - 5775.
[Abstract] [Full Text]

JBC Online ▸HOME

M. R. Farmery, S. Allen, A. J. Allen, and N. J. Bulleid
The Role of ERp57 in Disulfide Bond Formation during the Assembly of Major Histocompatibility Complex Class I in a Synchronized Semipermeabilized Cell Translation System
J. Biol. Chem, May 12, 2000; 275(20): 14933 - 14938.
[Abstract] [Full Text] [PDF]

Proceedings of the National Academy of Sciences ▸HOME

Y. Moroi, M. Mayhew, J. Trcka, M. H. Hoe, Y. Takechi, F. U. Hartl, J. E. Rothman, and A. N. Houghton
Induction of cellular immunity by immunization with novel hybrid peptides complexed to heat shock protein 70
PNAS, March 28, 2000; 97(7): 3485 - 3490.
[Abstract] [Full Text] [PDF]

Proceedings of the National Academy of Sciences ▸HOME

Y. Moroi, M. Mayhew, J. Trcka, M. H. Hoe, Y. Takechi, F. U. Hartl, J. E. Rothman, and A. N. Houghton

Induction of cellular immunity by immunization with novel hybrid peptides complexed to heat shock protein 70

PNAS, March 28, 2000; 97(7): 3485 - 3490.

[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

N. A. Linderoth, A. Popowicz, and S. Sastry

Identification of the Peptide-binding Site in the Heat Shock Chaperone/Tumor Rejection Antigen gp96 (Grp94)

J. Biol. Chem, February 25, 2000; 275(8): 5472 - 5477.

[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

S. Sastry and N. Linderoth

Molecular Mechanisms of Peptide Loading by the Tumor Rejection Antigen/Heat Shock Chaperone gp96 (GRP94)

J. Biol. Chem, April 23, 1999; 274(17): 12023 - 12035.

[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

S. Li, K. M. Paulsson, H.-O. Sjogren, and P. Wang

Peptide-bound Major Histocompatibility Complex Class I Molecules Associate with Tapasin before Dissociation from Transporter Associated with Antigen Processing

J. Biol. Chem, March 26, 1999; 274(13): 8649 - 8654.

[Abstract] [Full Text] [PDF]

Journal of Experimental Medicine ▸HOME

S. Basu and P. K. Srivastava

Calreticulin, a Peptide-binding Chaperone of the Endoplasmic Reticulum, Elicits Tumor- and Peptide-specific Immunity

J. Exp. Med., March 1, 1999; 189(5): 797 - 802.

[Abstract] [Full Text]

Clinical Microbiology Reviews ▸HOME

U. Zugel and S. H. E. Kaufmann

Role of Heat Shock Proteins in Protection from and Pathogenesis of Infectious Diseases

Clin. Microbiol. Rev., January 1, 1999; 12(1): 19 - 39.

[Abstract] [Full Text] [PDF]



The EMBO Journal ▸HOME

B. Panaretou, C. Prodromou, S.M. Roe, R. O'Brien, J. E. Ladbury, P. W. Piper, and L. H. Pearl

ATP binding and hydrolysis are essential to the function of the Hsp90 molecular chaperone in vivo

EMBO J., August 17, 1998; 17(16): 4829 - 4836.
[Abstract] [Full Text]

JBC Online ▸HOME

K. M. Linnik and H. Herscovitz

Multiple Molecular Chaperones Interact with Apolipoprotein B during Its Maturation. THE NETWORK OF ENDOPLASMIC RETICULUM-RESIDENT CHAPERONES (ERp72, GRP94, CALRETICULIN, AND BiP) INTERACTS WITH APOLIPOPROTEIN B REGARDLESS OF ITS LIPIDATION STATE

J. Biol. Chem, August 14, 1998; 273(33): 21368 - 21373.
[Abstract] [Full Text] [PDF]

BLOOD ▸HOME

T. Hoshino, J. Wang, M. P. Devetten, N. Iwata, S. Kajigaya, R. J. Wise, J. M. Liu, and H. Youssoufian

Molecular Chaperone GRP94 Binds to the Fanconi Anemia Group C Protein and Regulates Its Intracellular Expression

Blood, June 1, 1998; 91(11): 4379 - 4386.
[Abstract] [Full Text]

JBC Online ▸HOME

C. Chavany, E. Mimnaugh, P. Miller, R. Bitton, P. Nguyen, J. Trepel, L. Whitesell, R. Schnur, J. D. Moyer, and L. Neckers

p185[IMAGE] Binds to GRP94 in Vivo

J. Biol. Chem, March 1, 1996; 271(9): 4974 - 4977.
[Abstract] [Full Text] [PDF]



JBC Online ▸HOME

P. A. Wearsch and C. V. Nicchitta

Interaction of Endoplasmic Reticulum Chaperone GRP94 with Peptide Substrates Is Adenine Nucleotide-independent

J. Biol. Chem, February 21, 1997; 272(8): 5152 - 5156.
[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

T. S. McCormick, K. S. McColl, and C. W. Distelhorst
Mouse Lymphoma Cells Destined to Undergo Apoptosis in Response to Thapsigargin Treatment Fail to Generate a Calcium-mediated grp78/grp94 Stress Response
J. Biol. Chem, February 28, 1997; 272(9): 6087 - 6092.
[Abstract] [Full Text] [PDF]

Journal of Experimental Medicine ▸HOME

N. E. Blachere, Z. Li, R. Y. Chandawarkar, R. Suto, N. S. Jaikaria, S. Basu, H. Udono, and P. K. Srivastava
Heat Shock Protein-Peptide Complexes, Reconstituted In Vitro, Elicit Peptide-specific Cytotoxic T Lymphocyte Response and Tumor Immunity
J. Exp. Med., October 20, 1997; 186(8): 1315 - 1322.
[Abstract] [Full Text]

JBC Online ▸HOME

Pét. Csermely, Y. Miyata, T.ás Schnaider, and I. Yahara
Autophosphorylation of grp94 (Endoplasmin)
J. Biol. Chem, March 17, 1995; 270(11): 6381 - 6388.
[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

E. Little and A. S. Lee
Generation of a Mammalian Cell Line Deficient in Glucose-regulated Protein Stress Induction through Targeted Ribozyme Driven by a Stress-inducible Promoter
J. Biol. Chem, April 21, 1995; 270(16): 9526 - 9534.
[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

Z. Muresan and P. Arvan
Thyroglobulin Transport along the Secretory Pathway. INVESTIGATION OF THE ROLE OF MOLECULAR CHAPERONE, GRP94, IN PROTEIN EXPORT FROM THE ENDOPLASMIC RETICULUM
J. Biol. Chem, October 17, 1997; 272(42): 26095 - 26102.

[Abstract] [Full Text] [PDF]

Proceedings of the National Academy of Sciences ▸HOME

K. Suzue, X. Zhou, H. N. Eisen, and R. A. Young
Heat shock fusion proteins as vehicles for antigen delivery into the major histocompatibility complex class I presentation pathway
PNAS, November 25, 1997; 94(24): 13146 - 13151.
[Abstract] [Full Text] [PDF]

Science ▸HOME

Y. Tamura, P. Peng, K. Liu, M. Daou, and P. K. Srivastava
Immunotherapy of Tumors with Autologous Tumor-Derived Heat Shock Protein Preparations
Science, October 3, 1997; 278(5335): 117 - 120.
[Abstract] [Full Text]

HOME HELP FEEDBACK SUBSCRIPTIONS ARCHIVE SEARCH TABLE OF CONTENTS

Posted online on November 16, 2001 as 10.1146/annurev.immunol.20.100301.064801
Annu. Rev. Immunol. 2002. 20:395-425.

INTERACTION OF HEAT SHOCK PROTEINS WITH PEPTIDES AND ANTIGEN PRESENTING CELLS: Chaperoning of the Innate and Adaptive Immune Responses

Pramod Srivastava
Center for Immunotherapy of Cancer and Infectious Diseases, University of Connecticut School of Medicine, Farmington, Connecticut 06030-1601; e-mail: srivastava@nso2.uchc.edu

KEY WORDS: dendritic cells, cross-priming, indirect presentation, cancer, infectious diseases

Heat shock proteins are abundant soluble intracellular proteins, present in all cells. Members of the heat shock protein family bind peptides including antigenic peptides generated within cells. Heat shock proteins also interact with antigen presenting cells through CD91 and other receptors, eliciting a cascade of events including re-presentation of heat shock protein-chaperoned peptides by MHC, translocation of NFκB into the nuclei and maturation of dendritic cells. These consequences point to a key role of heat shock proteins in fundamental immunological phenomena such as activation of antigen presenting cells, indirect presentation (or cross-priming), and chaperoning of peptides during antigen presentation. Heat shock proteins appear to have been involved in innate immune responses since the emergence of phagocytes in early multicellular organisms and to have been commandeered for adaptive immune responses with the advent of specificity. These properties of heat shock proteins also allow them to be used for immunotherapy of cancers and infections in novel ways.

Full-text links to some of the citing articles in other journals:



The Journal of Immunology ▸HOME

L. A. E. Harmala, E. G. Ingulli, J. M. Curtsinger, M. M. Lucido, C. S. Schmidt, B. J. Weigel, B. R. Blazar, M. F. Mescher, and C. A. Pennell

The Adjuvant Effects of Mycobacterium tuberculosis Heat Shock Protein 70 Result from the Rapid and Prolonged Activation of Antigen-Specific CD8+ T Cells In Vivo

J. Immunol., November 15, 2002; 169(10): 5622 - 5629.
[Abstract] [Full Text] [PDF]



The Journal of Immunology ▸HOME

J. Rice, S. Buchan, and F. K. Stevenson

Critical Components of a DNA Fusion Vaccine Able to Induce Protective Cytotoxic T Cells Against a Single Epitope of a Tumor Antigen

J. Immunol., October 1, 2002; 169(7): 3908 - 3913.
[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

M. K. Callahan, D. Chaillot, C. Jacquin, P. R. Clark, and A. Menoret

Differential Acquisition of Antigenic Peptides by Hsp70 and Hsc70 under Oxidative Conditions

J. Biol. Chem, September 13, 2002; 277(37): 33604 - 33609.
[Abstract] [Full Text] [PDF]

JBC Online ▸HOME

R. C. Reed, T. Zheng, and C. V. Nicchitta

GRP94-associated Enzymatic Activities. RESOLUTION BY CHROMATOGRAPHIC FRACTIONATION

J. Biol. Chem, July 12, 2002; 277(28): 25082 - 25089.
[Abstract] [Full Text] [PDF]



JOURNAL OF CLINICAL ONCOLOGY ▸HOME

F. Belli, A. Testori, L. Rivoltini, M. Maio, G. Andreola, M. R. Sertoli, G. Gallino, A. Piris, A. Cattelan, I. Lazzari, M. Carrabba, G. Scita, C. Santantonio, L. Pilla, G. Tragni, C. Lombardo, F. Arienti, A. Marchiano, P. Queirolo, F. Bertolini, A. Cova, E. Lamaj, L. Ascani, R. Camerini, M. Corsi, N. Cascinelli, J. J. Lewis, P. Srivastava, and G. Parmiani

Vaccination of Metastatic Melanoma Patients With Autologous Tumor-Derived Heat Shock Protein gp96-Peptide Complexes: Clinical and Immunologic Findings

J. Clin. Oncol., October 15, 2002; 20(20): 4169 - 4180.
[Abstract] [Full Text] [PDF]

Immunity, Vol. 12, 263-272, March, 2000

A Proposed Mechanism for the Induction of Cytotoxic T Lymphocyte Production by Heat Shock Fusion Proteins

Bryan K. Cho [1], Deborah Palliser [1], Eduardo Guillen [3], Jan Wisniewski [3], Richard A. Young [1,2], Jianzhu Chen [1], and Herman N. Eisen [1]

[1] Center for Cancer Research and, Department of Biology, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139

[2] The Whitehead Institute, Cambridge, Massachusetts 02139

[3] Stressgen Biotechnologies Inc., Victoria VB2 4B9, Canada

Corresponding author:
Herman N. Eisen§
617 253 6406 (phone)
617 258 6172 (fax)
hneisen@mit.edu

▸ Table of Contents
▸ Full Text of this Article
▸ Download as printable (PDF) file - 180K
▸ Search Medline for articles by:
Bryan K. Cho||Herman N. Eisen
▸ Download to Citation Manager

A 65 kDa mycobacterial heat shock protein (hsp65), fused to a polypeptide that contains an octapeptide (SIYRYYGL) agonist for a particular T cell receptor (2C TCR), stimulated C57BL/6 mice as well as CD4-deficient mice to produce $CD8^+$ cytolytic T lymphocytes (CTL) to the fusion partner's octapeptide. This and other hsp65 fusion proteins but not native hsp65 itself stimulated dendritic cells in vitro and in vivo to upregulate the levels of MHC (class I and II) and costimulatory (B7.2) molecules. The results suggest a mechanism for the general finding that hsp fusion proteins, having fusion partners of widely differing lengths and sequences, elicit CD8 CTL to peptides from the fusion partners without requiring exogenous adjuvants or the participation of $CD4^+$ T cells.

▸ Table of Contents
▸ Full Text of this Article
▸ Download as printable (PDF) file - 180K
▸ Search Medline for articles by:
Bryan K. Cho||Herman N. Eisen
▸ Download to Citation Manager

WEST Search History

DATE: Tuesday, November 19, 2002

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT,PGPB,JPAB,EPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ			
L13	(heat shock protein) and (ATP binding domain)	22	L13
DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ			
L12	(ATP binding domain) and L10	6	L12
L11	tuberculosis and L10	89	L11
L10	ATP and L8	520	L10
L9	(fragment thereof) and L8	0	L9
L8	L7 and antigen	1186	L8
L7	L6	1726	L7
DB=USPT,PGPB,JPAB,EPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ			
L6	(heat shock protein)	2925	L6
L5	(heat shork protein)	0	L5
L4	L1 and (heat shock protein)	1	L4
L3	L2 and hsp	0	L3
L2	L1 hsp	0	L2
L1	Huang Q.in.	260	L1

END OF SEARCH HISTORY

NCBI PubMed National Library of Medicine NLM

PubMed | Nucleotide | Protein | Genome | Structure | PopSet | Taxonomy | OMIM | Books

Search PubMed for [ ] Preview Go

Clear

Limits | Preview/Index | **History** | Clipboard | Details

- Search History will be lost after one hour of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.

Entrez PubMed

PubMed Services

Related Resources

Search	Most Recent Queries	Time	Result
#22	**Related Articles** for **PubMed** (Select **8881747**)	09:34:51	120
#18	Search **tuberculosis hsp70 ATP**	09:28:25	4
#17	Search **tuberculosis hsp70**	09:27:59	66
#15	Search **hsp70 cheparonine 1999**	09:27:45	667
#16	Search **tuberclosis hsp70**	09:27:33	0
#14	Search **hsp70 cheparonine**	09:27:21	6085
#10	Search **hsp70 ATP**	09:26:37	725
#12	Search **hsp70 ATP biding**	09:26:33	0
#13	Search **hsp70 ATP biding domain**	09:26:22	0
#11	Search **hsp70 ATP biding peptide**	09:25:54	0
#9	Search **hsp70 ATP binding site**	09:25:34	113
#7	Search **Nair S hsp 1999**	09:19:51	3
#6	Search **Nair S 1999**	09:19:49	51
#5	Search **Nari S 1999**	09:18:43	5
#3	Search **Tamura Y hsp 1997**	08:25:14	1
#1	Search **Tamura Y 1997**	08:24:56	32
#2	Search **Tamura Y Science 1997**	08:24:53	1

Clear History